SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

EnviroLogic HF 22 HP		
-		
None.		
ELHP22, EnviroLogic 3022, EL3	3022	
11-March-2020		
02		
08-September-2020		
11-March-2020		
ne substance or mixture and us	es advised against	
Not available.		
None known.		
safety data sheet		
RSC Bio Solutions		
600 Radiator Road		
Phone:	704-684-6100	
	704-257-8996	
Not available.		
INFOTRAC (DOMESTIC)	800-535-5053	
INFOTRAC (INTERNATIONAL)	+1 352-323-3500	
	- None. ELHP22, EnviroLogic 3022, EL3 11-March-2020 02 08-September-2020 11-March-2020 te substance or mixture and us Not available. None known. safety data sheet RSC Bio Solutions 600 Radiator Road Phone: Fax: Not available. Not available. Not available. INFOTRAC (DOMESTIC)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Synthetic Biodegradable Base Oil
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Supplemental label information	None.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.
OFOTION 2. Commonitien	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information Chemical name	%		REACH Registration	No Index No	Notoo
Synthetic Biodegradable Base			REACH Registration I	No. Index No. -	Notes
		-			
•	o. Tox. 1;H304				
Distillates (petroleum), hydrotr heavy paraffinic	reated < 1	64742-54-7 265-157-1	-	649-467-00-8	
Classification: Acu	ite Tox. 3;H331, Ca	ırc. 1B;H350			L
Other components below repo levels	ortable 20 - < 30				
st of abbreviations and symbo	Is that may be use	ed above			
#: This substance has been as M: M-factor PBT: persistent, bioaccumulat	•		\$).		
vPvB: very persistent and very All concentrations are in perce	/ bioaccumulative s	ubstance.	Gas concentrations are i	n percent by volume.	
omposition comments		I H-statements is disp			
SECTION 4: First aid mea	sures				
eneral information	Ensure that medi protect themselve		are of the material(s) invo	olved, and take precau	tions to
1. Description of first aid meas	sures				
Inhalation	Move to fresh air.	Call a physician if sy	mptoms develop or pers	ist.	
Skin contact	Wash off with soa	ap and water. Get me	dical attention if irritation	develops and persists	
Eye contact	Rinse with water.	Rinse with water. Get medical attention if irritation develops and persists.			
Ingestion	Rinse mouth. Get	t medical attention if s	ymptoms occur.		
.2. Most important symptoms nd effects, both acute and elayed	Exposure may ca	use temporary irritatio	on, redness, or discomfo	rt.	
.3. Indication of any nmediate medical attention nd special treatment needed	Treat symptomati	cally.			
SECTION 5: Firefighting n	neasures				
eneral fire hazards	No unusual fire o	r explosion hazards n	oted.		
1. Extinguishing media Suitable extinguishing media	Water fog. Foam.	Dry chemical powde	r. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water	jet as an extinguishe	r, as this will spread the	fire.	
2. Special hazards arising om the substance or mixture	During fire, gases	hazardous to health	may be formed.		
3. Advice for firefighters					
Special protective equipment for firefighters	Self-contained br	eathing apparatus an	d full protective clothing	must be worn in case o	of fire.
Special fire fighting procedures	Move containers	from fire area if you c	an do so without risk.		
pecific methods	Use standard fire	fighting procedures a	nd consider the hazards	of other involved mate	rials.
SECTION 6: Accidental re	lease measure	S			
1. Personal precautions, prote	ctive equipment a	nd omorgoncy proc	dures		

o. i. i ersonal precautions, protec	cuve equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

3. Methods and material for	The product is immiscible with water and will spread on the water surface.			
ontainment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.			
	Small Spills: Wipe up with absorbent r remove residual contamination.	naterial (e.g. cloth, fleece). Cl	ean surface thoroughly to	
4. Reference to other actions	Never return spills to original containe For personal protection, see section 8			
ECTION 7: Handling and	storage			
1. Precautions for safe andling	Avoid prolonged exposure. Observe g	ood industrial hygiene practic	es.	
2. Conditions for safe orage, including any compatibilities	Store in tightly closed container. Store SDS).	e away from incompatible mat	erials (see Section 10 of the	
3. Specific end use(s)	Not available.			
SECTION 8: Exposure co	ntrols/personal protection			
1. Control parameters				
ccupational exposure limits				
Belgium. Exposure Limit Va Components	lues. Type	Value	Form	
Distillates (petroleum),	STEL	10 mg/m3	Mist.	
hydrotreated heavy paraffinic (CAS 64742-54-7)	SILL	To fightis	ivist.	
	TWA	5 mg/m3	Mist.	
Bulgaria. OELs. Regulation Components	No 13 on protection of workers again Type	st risks of exposure to chei Value	nical agents at work	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3		
Czech Republic. OELs. Gov Components	ernment Decree 361 Type	Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	Ceiling	10 mg/m3	Aerosol	
	TWA	5 mg/m3	Aerosol	
Denmark. Exposure Limit Va Components	alues Type	Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TLV	1 mg/m3	Mist.	
	lvisory OELs). Commission for the In	vestigation of Health Hazar	ds of Chemical Compounds	
in the Work Area (DFG) Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Respirable fraction.	
Synthetic Biodegradable Base Oil (CAS 72623-86-0)	TWA	5 mg/m3	Respirable fraction.	
Greece. OELs (Decree No. 9		V/-1-	Form	
Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Mist.	

Hungary. OELs. Joint Decree on Chemic Components	al Safety of Workplaces Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/1999 on o Components	ccupational exposure limits Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.
Synthetic Biodegradable Base Oil (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable fraction.
Latvia. OELs. Occupational exposure lim Components	nit values of chemical substan Type	ces in work environme Value	ent
Synthetic Biodegradable Base Oil (CAS 72623-86-0)	TWA	5 mg/m3	
Lithuania. OELs. Limit Values for Chemi Components	ical Substances, General Requ Type	uirements Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Netherlands. OELs (binding) Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Mist.
Norway. Administrative Norms for Conta Components	minants in the Workplace Type	Value	Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	TLV	1 mg/m3	Mist.
Ordinance of the Minister of Labour and intensities of harmful health factors in th Components			
Distillates (petroleum), hydrotreated heavy	TWA	5 mg/m3	Inhalable fraction.
paraffinic (CAS 64742-54-7) Synthetic Biodegradable Base Oil (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable fraction.
Portugal. VLEs. Norm on occupational e Components	xposure to chemical agents (N Type	IP 1796) Value	Form
Distillates (petroleum), hydrotreated heavy	STEL	10 mg/m3	Aerosol
paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Aerosol

Components	of workers from exposure to chemica Type	al agents at the workplace Value	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	
······································	TWA	5 mg/m3	
Slovakia. OELs. Regulation Components	No. 300/2007 concerning protection o Type	of health in work with chem Value	ical agents Form
Distillates (petroleum), hydrotreated heavy	STEL	3 mg/m3	Fume and mist.
paraffinic (CAS 64742-54-7)		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Synthetic Biodegradable	STEL	3 mg/m3	Fume and mist.
Base Oil (CAS 72623-86-0)	OTEL	·	
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expose Components	ure Limits Type	Value	Form
			-
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Enviro Components	onment Authority (AV), Occupational Type	Exposure Limit Values (AFS Value	S 2015:7) Form
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)	STEL	3 mg/m3	Mist.
,	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwe Components	erte am Arbeitsplatz Type	Value	Form
Distillates (petroleum),	TWA	5 mg/m3	Inhalable dust.
hydrotreated heavy paraffinic (CAS 64742-54-7)		o nig/no	
Synthetic Biodegradable Base Oil (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable dust.
logical limit values	No biological exposure limits noted for	r the ingredient(s).	
commended monitoring cedures	Follow standard monitoring procedure	S.	
ived no effect levels ELs)	Not available.		
dicted no effect centrations (PNECs)	Not available.		
Exposure controls			
propriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis	plicable, use process enclosu ain airborne levels below reco	ures, local exhaust ventilation ommended exposure limits. I
vidual protection measures, General information	such as personal protective equipmer Personal protection equipment should discussion with the supplier of the per	be chosen according to the 0	CEN standards and in
Eye/face protection	Wear safety glasses with side shields	(or goggles).	
Skin protection			
- Hand protection	Wear appropriate chemical resistant g	loves.	
- Other	Wear suitable protective clothing.		

Material name: EnviroLogic HF 22 HP - RSC Bio Solutions

ELHP22, EnviroLogic 3022, EL3022 Version #: 02 Revision date: 08-September-2020 Issue date: 11-March-2020

Respiratory protection	Chemical respirator with organic vapour cartridge and full facepiece. Dust Mask.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9: Physical and	SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties				
Appearance	Liquid. Clear.			
Physical state	Liquid.			
Form	Liquid.			
Colour	Amber			
Odour	Mild			
Odour threshold	Not available.			
рН	Not available.			
Melting point/freezing point	Not available.			
Initial boiling point and boiling range	Not available.			
Flash point	190,0 °C (374,0 °F)			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not applicable.			
Upper/lower flammability or explosive limits				
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			
Vapour pressure	Not available.			
Vapour density	Not available.			
Relative density	Not available.			
Solubility(ies)				
Solubility (water)	Insoluble			
Auto-ignition temperature	Not available.			
Decomposition temperature	Not available.			
Viscosity	22 cSt			
Viscosity temperature	40 °C (104 °F)			
Explosive properties	Not explosive.			
Oxidising properties	Not oxidising.			
9.2. Other information				
Density	0,877 g/cm³			

SECTION 10: Stability and reactivity

-45 °C (-49 °F)

0 % estimated

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.
SECTION 11: Toxicologic	al information

General information

Pour point VOC

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of Inhalation	-	nalation may be harr	nful	
Skin contact	-	-		
	No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation.			
Eye contact				
Ingestion	occupational		a. nowever, ingestion	is not likely to be a primary route of
Symptoms	Exposure mag	y cause temporary i	rritation, redness, or d	iscomfort.
1.1. Information on toxicologie	cal effects			
Acute toxicity	Not known.			
Components	Species		-	Fest Results
Distillates (petroleum), hydrotreat	ted heavy paraffi	nic (CAS 64742-54-	7)	
Acute				
Dermal				
LD50	Rabbit		>	· 2000 mg/kg, 24 Hours
Inhalation				
LC50	Rat		>	• 3,9 mg/l, 4 Hours
Oral				
LD50	Rat		>	· 2000 mg/kg
Skin corrosion/irritation	Due to partial	or complete lack of	data the classification	is not possible.
Serious eye damage/eye rritation	Due to partial	or complete lack of	data the classification	is not possible.
Respiratory sensitisation	Due to partial	or complete lack of	data the classification	is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.			
Germ cell mutagenicity	Due to partial	or complete lack of	data the classification	is not possible.
Carcinogenicity	Based on ava	ailable data, the clas	sification criteria are n	ot met.
Hungary. 26/2000 EüM Ord (as amended) Not listed.	linance on prote	ection against and _l	preventing risk relati	ng to exposure to carcinogens at wor
Reproductive toxicity	Due to partial	or complete lack of	data the classification	is not possible.
Specific target organ toxicity -		•	data the classification	•
single exposure Specific target organ toxicity -	Due to partial	or complete lack of	data the classification	is not possible.
repeated exposure	. .			
Aspiration hazard			sification criteria are n	ot met.
Mixture versus substance nformation	No information available.			
Other information	Not available.			
SECTION 12: Ecological	information			
I2.1. Toxicity	Based on ava environment.	ilable data, the clas	sification criteria are n	ot met for hazardous to the aquatic
Product		Species		Test Results
EnviroLogic HF 22 HP				
Aquatic				
Acute	5050			
Algae	EC50	Algae		> 110 ppm
Crustacea	EC50	Crustacea		> 120 ppm
Fish	LC50	Fish		> 1000 ppm
I2.2. Persistence and legradability				
Biodegradability	Aerobic Biodea	radation)		
Percent Degradation (A EnviroLogic HF 22 HP	j-		60 % ASTM D7373	

12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture. Not available.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA 14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.
- Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not established.

Not listed.

- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on t work, as amended.	he protection of workers from the risks related to exposure to carcinogens and mutagens at
Not listed.	
Other EU regulations	
Directive 2012/18/EU on m	najor accident hazards involving dangerous substances, as amended
Not listed.	
Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at work, in accordance with Directive 2004/37/EC.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.
SECTION 16: Other info	rmation
List of abbreviations	Not available.
References	Not available.
nformation on evaluation nethod leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H304 May be fatal if swallowed and enters airways. H331 Toxic if inhaled.
Revision information	H350 May cause cancer. None.
Fraining information	Follow training instructions when handling this material.
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

materials or in any process, unless specified in the text.

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other